

Crometta

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm

Finish: **White/Chrome** Article Number: **27812400**



Description

product features

- consists of: hand shower, shower thermostat, shower bar, slider, shower hose
- shower head size: 100 mm
- spray type overhead shower: Rain, IntenseRain
- QuickClean: Limescale deposits can simply be rubbed off with your finger
- maximum flow rate at 3 bar: 13,8 l/min
- minimum flow pressure: 1 bar
- max. operating pressure: 6 bar
- spray type adjustment by turning spray disc
- thermostat: Ecostat 1001 CL
- profile pipe: round
- shower bar diameter: 22 mm
- pipe length: 669 mm
- wall supports made of plastic
- shower hose length: 1600 mm
- pivot connector prevents hose from tangling
- 90° position adjustable slider, pivots left and right, up and down


Technology



Product image



Scale drawing




Crometta

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm

Finish: **White/Chrome** Article Number: **27812400**



Flowchart



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Crometta


Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm

Finish: **White/Chrome**

Article Number: **27812400**



Installation examples



Crometta

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm


Finish: **White/Chrome**

Article Number: **27812400**



Exploded Drawing

Year of production: **>04/16**



Crometta

Shower system for exposed installation Vario with Ecostat 1001 CL thermostat and shower bar 65 cm

Finish: **White/Chrome** Article Number: **27812400**



Spare part list

Year of production: >04/16

Pos.	Description	Article Number	PC	PU
1	Shower Set	26532400	99	1
2	Thermostat	13211000	99	1